

8300 Series - Split Top Desk Model 527-S



Standard Sizes	
Depth	36"
Width	36", 60", 72"
Adjustable Height	24-32", in 2" increments



Specifications

Frame	Fully unitized frame, wire welded, 16 gauge tubular steel construction with 1" x 2" legs connected by 2" x 2" cross-member. Frame finished with electrostatically applied powdercoat 2-3 mils in thickness. Scratch resistance of finish to meet pencil hardness test of 2H or better. Heavy duty floor levelers are standard. <i>Ships assembled.</i> Standard Finishes: (B) Black (P) Platinum (N) Natural Beige
Work Surface	Manufactured using 1" thick, 45lb. industrial grade particleboard core. Exterior surface is high pressure laminate and is applied to core with water resistant adhesive containing on VOC's. A backer sheet is applied to provide balanced construction.
Adjustable Legs	14 gauge steel tubing with a telescopic insert of 16 gauge steel tubing. Legs are adjustable on 2" increments to allow height adjustment from 20-36". Legs lock with threaded insert screw. Legs equipped with a screw type guide.
Wire Management	Manufactured of laminated particle board. Trough is mounted to underside of the work surface and to the frame and is fully accessible. Grommets are placed in the top. End of trough is open for ease of access and side-by-side design or can be capped, with grommet included.
Edgebanding	Machine applied using PUR Adhesive (moisture-curing, polyurethane adhesive, containing no VOC's).
Edge Options	(3) 3mm PVC (R) Rolled Edge
Top Colors	CFC Educational: Woodgrains - Solids - Nebulas - Patterns - Other finishes (upcharge may apply)
Options	(K) Keyboard Tray (C) Casters (CP) CPU Holder (PW) Power Strip (5 with 10' cord)